

CONDITIONS FOR USE OF THE MANAGEMENT SYSTEM CERTIFICATION MARKS



IAF Logo



ISO/IEC: 17021
MS-001-01

SLAB Symbol

The Certification Holder is entitled to use the SLSI ISO xxxxxx Management System Certification Mark, IAF Logo and SLAB Logo in accordance with the regulations set out below.

1. Management System Certification Marks shall be used only by the Certificate Holder.
2. Management System Certification Marks shall be used during the period identified in the Certificate of Conformity.
3. SLAB /RvA Logo shall be used only with the SLSI ISO xxxxx Management System Certification Mark and shall not be used with any other certification logo/mark which has not been accredited by SLAB
4. Management System Certification Marks shall not be used in association with a product, or products or in any way, which may infer that the product or products are certified
5. Management System Certification Mark shall not be applied on the product labels or packages to infer that products are certified. Also, it is not permitted to use the Management System Certification Mark in laboratory test, calibration or inspection reports
6. Management System Certification Mark may be used in letterheads, advertisements and promotional documentation but only in respect of the scope defined in the Certificate of Conformity, subject to the declaration that the Management System has been certified by the SLSI. Prior approval of the SLSI shall be obtained by the organization for an artwork of such material.
7. If the organization wishes to declare the Management System that it is ISO xxxxx certified such declaration shall always be accompanied with the ISO xxxxxx as the management system certified and the Sri Lanka Standards Institution as the certification body. Prior approval of the SLSI shall be obtained by the organization for an artwork of such material.
8. Application of SLSI ISO xxxxxx Management System Certification Mark is permitted:
 - in black on a white background, or a background in another colour clearly contrasting the black
 - with a diameter of at least 5 mm
 - to use only the preferred sizes as given.
9. SLAB /RvA Logo shall be used as prescribed in the AC-RG (P)-01 (*Terms & conditions for use of the Accreditation Symbol*) and RvA-VR003 (*Regulation for Use of Accreditation Marks*) document .
10. IAF Logo shall not be used in any manner by the certified clients.
11. If and when necessary SLSI will lay down other regulations in writing with regard to the use of the Management System Certification Marks. Such regulations shall be part of the Certification agreement.

